

Phone: (716) 938-2577 Fax (716) 938-2760

Contingent Fund Balance: \$173,239

The following committees will meet on <u>Wednesday, February 6, 2019</u>, at the County Center in Little Valley, New York, at the indicated times:

Committee of the Whole	
Re: Personnel Matters	4:00 p.m.
Labor Relations	4:30 p.m.
Public Works	5:00 p.m.
Human Services	5:45 p.m.
County Operations/Public Safety	6:00 p.m.
Development & Agriculture	6:15 p.m.
Finance	6:45 p.m.

ACT NO.	PREFILED RESOLUTIONS
62-19	Mr. Breton, Mr. Snyder, Sr., and Mrs. Vickman DIRECTING COUNTY TREASURER TO ISSUE CERTIFICATE OF RESTORATION VILLGE OF ELLICOTTVILLE Referred at 1/23/19 meeting to Finance and County Operations/Public Safety
79-19	Mr. Snyder, Sr. APPOINTMENT TO CATTARAUGUS COUNTY ETHICS BOARD
80-19	Mr. Giardini and Mr. Helmich ADJUSTING VARIOUS APPROPRIATION ACCOUNTS (Department of Nursing Homes-Olean and Machias)
81-19	Mr. Giardini and Mr. Helmich BID ACCEPTANCE FOR CRUSHED STONE, ROCK RIP RAP, CONCRETE CATCH BASINS, PORTLAND CEMENT CONCRETE, FLEXIBLE CONCRETE MATS, GEOTEXTILE FABRIC AND PROCESSED GRAVEL (Department of Public Works)
82-19	Mr. Giardini and Mr. Helmich BID ACCEPTANCE FOR BRIDGE STRUCTURAL STEEL (Department of Public Works)
83-19	Mr. Giardini and Mr. Helmich BID ACCEPTANCE FOR CORRUGATED BEAM GUIDE RAILING, BOX BEAM AND CABLE GUIDE RAILING, BRIDGE AND CULVERT POST, BRIDGE RAILING AND TRANSITION SECTIONS (Department of Public Works)

84-19 Mr. Snyder, Sr., Ms. Vickman and Mrs. Labuhn
LOCAL LAW NUMBER 2-2019 - A LOCAL LAW AMENDING LOCAL LAW NUMBER
5-1985 (INTRO NUMBER 10-1985), AS AMENDED, REGARDING THE POSITION OF
COUNTY ADMINISTRATOR

Mr. Snyder, Ms. Vickman and Mrs. Labuhn
AUTHORIZING PUBLIC HEARING ON LOCAL LAW NUMBER 2-2019

Act#	Finance	County Ops/Pub Safety	DPW	Human Services	Strategic Planning	Dev & Ag	Labor Relations
62	Х	Х					
79	Х	Х					
80	Х		Х	Х			
81	Х		X				
82	Х		X				
83	Х		Х				
84	Х						Х
85	Х						Х
TOTAL	8	2	4	1	0	0	2

CERTIFICATE OF RESTORATION VILLAGE OF ELLICOTTVILLE

Pursuant to Sections 1138 (4)(a) and 1138 (6)(d) of the Real Property Tax Law.

- I. WHEREAS, certain parcels were withdrawn from the 2011 in rem tax foreclosure proceeding because of environmental issues affecting the property, and
- II. WHEREAS, Act 459-2011 directed the County Treasurer to issue a Certificate of Prospective Cancellation on property located in the Village of Ellicottville, bearing Tax Map Number 55.043-1-33.1 owned by J & B Capital Partners, Inc., and
- III. WHEREAS, it has been determined that the above parcel should be reinstated and restored to the taxable portion of the assessment roll, now, therefore, be it
- I. RESOLVED, that the County Treasurer be, and hereby is, authorized and directed to reinstate the aforementioned parcel and issue a Certificate of Reinstatement with the Assessor and County Director of Real Property Tax Services, and be it further
- II. RESOLVED, that the County Treasurer be, and hereby is authorized and directed to file a Certificate of Restoration with the Assessor and County Director of Real Property Tax Services, and be it further
- III. RESOLVED, that, upon the filing of the aforementioned Certificate of Reinstatement and Restoration, the above-described parcel shall be reinstated and restored to the taxable portion of the assessment roll.

Referred at 1/23/19 Board Meeting

ACT NO. 79-2019 by Mr. Snyder, Sr.

APPOINTMENT TO CATTARAUGUS COUNTY ETHICS BOARD

Pursuant to Local Law Number 8-1990 of the Cattaraugus County Legislature.

I. RESOLV	ED, that the	following	g individu	ial is herek	oy app	pointed to	the Ca	attaraug	gus (County
Ethics Board to fill the	e unexpired	term of	Richard	Tamutus,	who	resigned,	with	a term	to	expire
December 31, 2020:										
	/ard airview Lane Yalley, New Yo	ork 1.4741	1							
Resolution Refe	••	JIK 1474.	L.							
Finance	Human Service	s 🗌								
DPW	Develop. & Ag									
Labor Relations	Strategic Plann	· =								
Co. Operations/Public Safety		\boxtimes								

ADJUSTING VARIOUS APPROPRIATION ACCOUNTS (Department of Nursing Homes-Olean and Machias)

Pursuant to Sections 363 and 366 of the County Law.

l.	WHEREAS, the	Department of Public Works is desirous of making	g Va	arious capita				
mprovements at The Pines Healthcare and Rehabilitation Center-Olean and Machias Campuses, and								
II.	WHEREAS, vari	ous appropriation accounts must be adjusted in order	to c	over the cost				
of the aforeme	ntioned capital i	mprovement projects, now, therefore, be it						
l.	RESOLVED, tha	t the County Administrator is hereby directed to ma	ke	the following				
budgetary chan	iges:							
Decrease Appro EF.453.4530.11 EI.453.4530.110		nts: Capital Expenditures Building Capital Expenditures Building	-	,500,000.00 ,010,000.00				
Increase Appro	priation Accoun	ts:						
EF.453.4530.12	16.20002	ADA Upgrade (Olean)	\$1	,500,000.00				
EI.453.4530.12	22.20002	Sanitary Sewer (Machias)	\$	60,000.00				
EI.453.4530.12	23.20002	Building Envelope/Boiler (Machias)	\$	500,000.00				
EI.453.4530.12	24.20002	Parking Lot (Machias)	\$	350,000.00				
EI.453.4530.122	25.20002	Fire Alarm System (Machias)	\$	100,000.00.				
Finance DPW Labor Relations	_							
Co. Operations/Pul	blic Safety							

BID ACCEPTANCE FOR CRUSHED STONE, ROCK RIP RAP, CONCRETE CATCH BASINS, PORTLAND CEMENT CONCRETE, FLEXIBLE CONCRETE MATS, GEOTEXTILE FABRIC AND PROCESSED GRAVEL (Department of Public Works)

Pursuant to Section 103 of the General Municipal Law and Sections 408 and 408-a of the County Law.

- I. WHEREAS, the Clerk of the Legislature was authorized to advertise for sealed bids for the provision of various materials, according to specifications provided by the Public Works Committee, now, therefore, be it
- I. RESOLVED, that the Commissioner of Public Works is authorized to contract for crushed stone, rock rip rap, concrete catch basins, portland cement concrete, flexible concrete mats, geotextile fabric and processed gravel, with the following bidders recommended by the Public Works Committee for the term May 1, 2019 through April 30, 2020, and be it further
- II. RESOLVED, that any county, city, village, town, school, or fire district in Cattaraugus County may participate in the bid prices by dealing directly with the bidder, and be it further
- III. RESOLVED, that the County of Cattaraugus reserves the right to make purchases of the aforementioned items at any time during the term for which the bids are taken.

♦ CRUSHED STONE

NEW ENTERPRISE STONE & LIME CO., INC. 500 Como Park Boulevard Buffalo, New York 14227

<u>Per Ton</u>	F.O.B.	Delivered	Delivered	Delivered	Delivered
	Co. Trucks	<u>Northeast</u>	<u>Northwest</u>	<u>Southeast</u>	<u>Southwest</u>
No. 1A	\$21.25				
No. 1 ST					
No. 1	\$19.50				
No. 2	\$16.05	\$21.80		\$24.55	\$24.55
Minus 1 Crusher Run	\$13.00	\$18.75		\$21.50	\$21.50
Minus 2 Crusher Run	\$11.50	\$17.25		\$20.00	\$20.00
Gabion Stone	\$14.60	\$20.35	\$23.10	\$23.10	\$23.10

^{**}Origin of Stone: Wehrle Drive Quarry, 8615 Wehrle Drive, Williamsville, NY

COUNTY LINE STONE CO., INC. 4515 Crittenden Road P.O. Box 150 Akron, New York 14001

<u>Per Ton</u>	F.O.B.	Delivered	Delivered	Delivered	Delivered
	<u>Co. Trucks</u>	<u>Northeast</u>	<u>Northwest</u>	<u>Southeast</u>	<u>Southwest</u>
No. 1A	\$17.75			\$28.75	\$29.60
No. 1 ST	\$15.75	\$24.15	\$26.05	\$26.75	\$27.60
No. 1	\$15.00	\$23.40	\$25.30	\$26.00	\$26.85
No. 2	\$14.00				
Minus 1 Crusher Run	\$10.75				
Minus 2 Crusher Run	\$ 9.75				
Gabion Stone	\$15.00				

^{**}Origin of Stone: 4515 Crittenden Road Quarry, Akron, NY

SCHWAB AGGREGATES 10090 Pigeon Hill Road Delevan, New York 14042

<u>Per Ton</u>	F.O.B. Co. Trucks	Delivered Northeast	Delivered Northwest	Delivered Southeast	Delivered Southwest
No. 1A	\$17.05	\$25.80	\$27.80	<u> 30atricast</u>	<u> 30atiiwest</u>
No. 1 ST	•	·			
No. 1	\$14.80				
No. 2	\$13.80	\$21.80	\$23.80		
Minus 1 Crusher Run	\$10.95		\$20.80		
Minus 2 Crusher Run	\$ 9.95		\$19.80		
Gabion Stone					

^{**}Origin of Stone: Lockport Quarry, 400 Hinman Road, Lockport, NY

State Bid. These prices will be compared with the prices on State Contract and all items will be purchased from the source most beneficial to the County.

Five sets of specifications were sent out. Three bids were received.

♦ ROCK RIP RAP

NEW ENTERPRISE STONE & LIME CO., INC. 500 Como Park Boulevard Buffalo, New York 14227

<u>FINE</u>	Per Ton	<u>Delivery</u>	<u>Total</u>
Northeast Section	\$15.45	\$5.75	\$21.20
Southeast Section	\$15.45	\$8.50	\$23.95
Northwest Section	\$15.45	\$8.50	\$23.95
Southwest Section	\$15.45	\$8.50	\$23.95
<u>LIGHT</u>	Per Ton	<u>Delivery</u>	<u>Total</u>
Northeast Section	\$14.90	\$5.75	\$20.65
Southeast Section	\$14.90	\$8.50	\$23.40
Northwest Section	\$14.90	\$8.50	\$23.40
Southwest Section	\$14.90	\$8.50	\$23.40
<u>MEDIUM</u>	Per Ton	<u>Delivery</u>	<u>Total</u>
Northeast Section	\$23.60	\$ 8.10	\$31.70
Southeast Section	\$23.60	\$10.00	\$33.60

Northwest Section	\$23.60	\$10.75	\$34.35
Southwest Section	\$23.60	\$10.25	\$33.85
<u>HEAVY</u>	Per Ton	<u>Delivery</u>	<u>Total</u>
Northeast Section	\$23.60	\$ 8.10	\$31.70
Southeast Section	\$23.60	\$10.00	\$33.60
Northwest Section	\$23.60	\$10.75	\$34.35
Southwest Section	\$23.60	\$10.25	\$33.85

State Bid. These prices will be compared with the prices on State Contract and all items will be purchased from the source most beneficial to the County.

Four sets of specifications were sent out. Two bids were received.

♦ <u>CONCRETE CATCH BASINS - price each, includes delivery</u>

BIHR LANDSCAPE, INC.

211 Westminster Road

West Seneca, New York 14224

Frames & Gra	<u>tes - Basin Sizes</u>	<u>Rate</u>
CCB 2424	24" sq. x 24"	\$388.00
CCB 2436	24" sq. x 36"	\$412.00
CCB 2454	24" sq. x 54"	\$477.00
CCB 3036	30" sq. x 36"	\$659.00
CCB 3054	30" sq. x 54"	\$740.00
Risers - 24 inci	hes square (Height)	
CBR 24-6	6 inches	\$145.00
CBR 24-9	9 inches	\$165.00
CBR 24-12	12 inches	\$175.00
CBR 24-24	24 inches	\$250.00
Risers - 30 inci	hes square (Height)	
CBR 30-6	6 inches	\$190.00
CBR 30-12	12 inches	\$334.00
CBR 30-24	24 inches	\$410.00
Extra Grates		
CBG 24	24" x 24"	\$210.00
CBG 30	30" x 30"	\$345.00

KISTNER CONCRETE PRODUCTS, INC.

P.O. Box 218

East Pembroke, New York 14056-0218

Frames & Grat	<u>es - Basin Sizes</u>		<u>Rate</u>
CCB 2436W	24" sq. x 36" (8" wall)		\$1,539.00
CCB 2466	24" sq. x 66"		\$677.00
CCB 2472	24" sq. x 72"		\$733.00
CCB 3636	36" sq. x 36"	*(\$1,773.00
		**(\$1,330.00
Risers - 24 inch	es square (Height)		
CBR 24-6	6 inches		\$184.00
CBR 24-12	12 inches		\$337.00
CBR 24-24	24 inches		\$444.00
Risers - 36 inch	es square (Height)		
CBR 36-6	6 inches	No Frame in Top	\$220.00

CBR 36-12	12 inches	No Frame in Top	\$264.00
CBR 36-24	24 inches	No Frame in Top	\$528.00
Extra Grates			
CBG 24	24" x 24"		\$265.00
CBG 36	36" x 36"		\$831.00

^{*} With 36" Sq. Raised Frame & Gate

 $\mbox{**}$ 36" Sq. Alternate price has a roof slab with 24" sq. ft grate cast flush into roof slab Short load charge \$360.00

1/2 hour unloading – overtime @ \$130/hour

Prices Below are for NON-CERTIFIED Units. These Units do not have P.E.

<u>Stamped Reinforcing Details or Calculations:</u>

o compete men	ijoromy z otomo or o	areara crosses	
Frames & Gro	ates - Basin Sizes —		<u>Rate</u>
CCB 2424	24" sq. x 24"		\$389.00
CCB 2436	24" sq. x 36"		\$413.00
CCB 2454	24" sq. x 54"		\$478.00
CCB 3036	30" sq. x 36"		\$660.00
CCB 3054	30" sq. x 54"		\$740.00
Risers - 24 inc	Risers - 24 inches square (Height)		
CBR 24-6	6 inches		\$144.00
CBR 24-12	12 inches		\$169.00
CBR 24-24	24 inches		\$249.00
Risers - 30 inches square (Height)			
CBR 30-6	6 inches		\$187.00
CBR 30-12	12 inches		\$334.00
CBR 30-24	24 inches		\$406.00

JAMESTOWN MACADAM, INC.

P.O. Box 518

Celeron, New York 14720

<u>Frames & Grates - Basin Sizes</u>		<u>Rate</u>
CCB 2436A	24" sq. x 36"	\$470.00
Risers - 24 inc	<u>hes square (Height)</u>	
CBR 24-6	6 inches	\$155.00
CBR 24-12	12 inches	\$160.00
CBR 24-24	24 inches	\$183.00
Extra Grates		
CBG 24	24" x 24"	\$250.00

BINGHAMTON PRECAST & SUPPLY CORP.

18 Phelps Street

Binghamton, New York 13901

Frames & Grat	<u>Rate</u>	
CCB 2454A	(single knockout) 24" sq. x 54"	\$844.30
CCB 2454W	24" sq. x 54" (8" wall)	\$1,719.87
CCB 3654	36" sq. x 54"	\$1,375.80
CCB 3654L	36" sq. x 54" (large knockouts) 36" x 42" knockouts	\$1,375.80
CCB 3672	36" sq. x 72"	\$1,736.80

Risers - 24 inch	es square (Height)	
CBR 24-6	6 inches	\$723.30
CBR 24-9	9 inches	\$729.05
CBR 24-12	12 inches	\$766.80
CBR 24-24	24 inches	\$797.80
Risers - 36 inch	es square (Height)	
CBR 36-6	6 inches	\$1,216.80
CBR 36-9	9 inches	\$1,223.80
CBR 36-12	12 inches	\$1,230.80
CBR 36-24	24 inches	\$1,258.80
Extra Grates		
CBG 24	24" x 24"	\$242.00
CBG 36	36" x 36"	\$515.00

No State Bid. Seven sets of specifications were sent out. Four bids were received.

♦ **PORTLAND CEMENT CONCRETE** - Per cubic yard

JAMESTOWN MACADAM, INC.

P.O. Box 518

Celeron, New York 14720

Index No.	<u>Description</u>	<u>Rate</u>		
A = NYSDOT Class "A", General Purpose Structural				
A-NW	Northwest Section	\$140.00		
A-SW	Southwest Section	\$140.00		
D = NYSDOT Class	s "D", Thin Structured Application			
D-NW	Northwest Section	\$145.00		
D-SW	Southwest Section	\$145.00		
E = NYSDOT Class	"E", Structural Slabs and Structural Approach Slabs			
E-NW	Northwest Section	\$142.00		
E-SW	Southwest Section	\$142.00		
F = NYSDOT Class	"F", High Early Strength for Pavement or Structural Slabs			
F-NW	Northwest Section	\$146.00		
F-SW	Southwest Section	\$146.00		
H = NYSDOT Class	s "H", Pumping Applications			
H-NW	Northwest Section	\$144.00		
H-SW	Southwest Section	\$144.00		
HP = NYSDOT Cla	iss "HP", High Performance Concrete for Superstructure Slabs and			
Structural Approa	ach Slabs			
HP-NW	Northwest Section	\$188.00		
<u>ALLOWABLE EXTR</u>	RA COST - Short load, PER LOAD			
S-1	1 cubic yard or less	\$ 50.00		
S-2	More than 1 CY, = 2 CY</td <td>\$ 50.00</td>	\$ 50.00		
S-3	More than 2 CY, = 3 CY</td <td>\$ 50.00</td>	\$ 50.00		
S-4	More than 3 CY, = 4 CY</td <td>\$ 50.00</td>	\$ 50.00		
S-5	More than 4 CY, = 5 CY</td <td>\$ 50.00</td>	\$ 50.00		
TC-1	Truck Conveyor (per truck load)	\$200.00		
ALLOWABLE EXTE	RA COST – Heated Concrete, PER YARD			
HC-1	When Requested	\$11.50		
ALLOWABLE EXTRA COST – Unloading, PER MINUTE				
XC-1	Unloading in excess of 5 minutes per cubic yard	\$ 1.50		
<u>ALLOWABLE EXTR</u>	RA COST – Water-Reducing Admixture			
SP-1	When Requested (High Range)(ASTM) Type F	\$ 7.50		

HANSON AGGREGATES NEW YORK, LLC 6895 Ellicott Street Pavilion, New York 14525

	<u>Description</u>		<u>Rate</u>
	A", General Purpose Structural		
	Northeast Section		\$150.00
	D", Thin Structured Application		4
	Northeast Section	_	\$157.00
•	E", Structural Slabs and Structural Approach Slab	<u>os</u>	Ć1F0 00
	Northeast Section	al Claha	\$150.00
	E", High Early Strength for Pavement or Structur Northeast Section	al Slaus	\$157.00
	H", Pumping Applications		\$157.00
	Northeast Section		\$153.00
	COST - Short load, PER LOAD		Ç133.00
	cubic yard or less		\$ 75.00
	More than 1 CY, = 2 CY</td <td></td> <td>\$ 75.00</td>		\$ 75.00
	More than 2 CY, = 3 CY</td <td></td> <td>\$ 75.00</td>		\$ 75.00
	More than 3 CY, = 4 CY</td <td></td> <td>\$ 75.00</td>		\$ 75.00
	More than 4 CY, = 5 CY</td <td></td> <td>\$ 75.00</td>		\$ 75.00
	• •	Per Hour	\$225.00
	COST – Heated Concrete, PER YARD		,
•	When Requested (Nov. 15 to April 15)		\$ 11.50
	COST – Unloading, PER MINUTE		
XC-1 U	Unloading in excess of 5 minutes per cubic yard		\$ 1.50
6	50 minute Unloading Time - \$90.00,	hour thereafter	
ALLOWABLE EXTRA	COST – Water-Reducing Admixture		
SP-1 V	When Requested (High Range)(ASTM) Type F		\$ 7.25
SP-1 V	When Requested (High Range)(ASTM) Type F		\$ 7.25
	When Requested (High Range)(ASTM) Type F		\$ 7.25
WAYNE CONCRETE	When Requested (High Range)(ASTM) Type F		\$ 7.25
<i>WAYNE CONCRETE</i> 262 Route 44			\$ 7.25
WAYNE CONCRETE			\$ 7.25
WAYNE CONCRETE 262 Route 44 Shinglehouse, Penns	sylvania 16748		·
WAYNE CONCRETE 262 Route 44 Shinglehouse, Penns	sylvania 16748 Description		\$ 7.25
WAYNE CONCRETE 262 Route 44 Shinglehouse, Penns Index No. D A = NYSDOT Class "A	sylvania 16748		<u>Rate</u>
WAYNE CONCRETE 262 Route 44 Shinglehouse, Penns Index No. D A = NYSDOT Class "A A-SE S	sylvania 16748 Description A", General Purpose Structural		·
WAYNE CONCRETE 262 Route 44 Shinglehouse, Penns Index No. D A = NYSDOT Class "A A-SE S D = NYSDOT Class "I	sylvania 16748 Description A", General Purpose Structural Goutheast Section		<u>Rate</u>
WAYNE CONCRETE 262 Route 44 Shinglehouse, Penns Index No. D A = NYSDOT Class "A A-SE S D = NYSDOT Class "I D-SE S	sylvania 16748 Description A", General Purpose Structural Southeast Section D", Thin Structured Application	<u>15</u>	Rate \$142.50
WAYNE CONCRETE 262 Route 44 Shinglehouse, Penns Index No. D A = NYSDOT Class "A A-SE S D = NYSDOT Class "I D-SE S E = NYSDOT Class "E	Sylvania 16748 Description A", General Purpose Structural Southeast Section D", Thin Structured Application Southeast Section	<u>15</u>	<u>Rate</u> \$142.50
WAYNE CONCRETE 262 Route 44 Shinglehouse, Penns Index No. D A = NYSDOT Class "A A-SE S D = NYSDOT Class "I D-SE S E = NYSDOT Class "E E-SE S	Sylvania 16748 Description A", General Purpose Structural Southeast Section D", Thin Structured Application Southeast Section E", Structural Slabs and Structural Approach Slab		Rate \$142.50 \$147.00
WAYNE CONCRETE 262 Route 44 Shinglehouse, Penns Index No. D A = NYSDOT Class "A A-SE S D = NYSDOT Class "E D-SE S E = NYSDOT Class "E E-SE S F = NYSDOT Class "F	Sylvania 16748 Description A", General Purpose Structural Southeast Section D", Thin Structured Application Southeast Section E", Structural Slabs and Structural Approach Slabs		Rate \$142.50 \$147.00
WAYNE CONCRETE 262 Route 44 Shinglehouse, Penns Index No. D A = NYSDOT Class "A A-SE S D = NYSDOT Class "E E-SE S F = NYSDOT Class "E F-SE S S	sylvania 16748 Description A", General Purpose Structural Southeast Section D", Thin Structured Application Southeast Section E", Structural Slabs and Structural Approach Slab Southeast Section E", High Early Strength for Pavement or Structural		Rate \$142.50 \$147.00 \$146.50
WAYNE CONCRETE 262 Route 44 Shinglehouse, Penns Index No. D A = NYSDOT Class "A A-SE S D = NYSDOT Class "I D-SE S E = NYSDOT Class "E E-SE S F = NYSDOT Class "F F-SE S H = NYSDOT Class "F	Sylvania 16748 Description A", General Purpose Structural Southeast Section D", Thin Structured Application Southeast Section E", Structural Slabs and Structural Approach Slab Southeast Section E", High Early Strength for Pavement or Structural Southeast Section		Rate \$142.50 \$147.00 \$146.50
WAYNE CONCRETE 262 Route 44 Shinglehouse, Penns Index No. D A = NYSDOT Class "A A-SE S D = NYSDOT Class "E E-SE S E = NYSDOT Class "E E-SE S F = NYSDOT Class "F F-SE S H = NYSDOT Class "F H-SE S	Sylvania 16748 Description A", General Purpose Structural Southeast Section D", Thin Structured Application Southeast Section E", Structural Slabs and Structural Approach Slab Southeast Section E", High Early Strength for Pavement or Structural Southeast Section H", Pumping Applications	al Slabs	Rate \$142.50 \$147.00 \$146.50 \$150.00
WAYNE CONCRETE 262 Route 44 Shinglehouse, Penns Index No. D A = NYSDOT Class "A A-SE S D = NYSDOT Class "E E-SE S F = NYSDOT Class "E F-SE S H = NYSDOT Class "F H-SE S HP = NYSDOT Class "F STructural Approach	Sylvania 16748 Description A", General Purpose Structural Southeast Section D", Thin Structured Application Southeast Section E", Structural Slabs and Structural Approach Slab Southeast Section E", High Early Strength for Pavement or Structural Southeast Section H", Pumping Applications Southeast Section H", Pumping Applications Southeast Section H", Pumping Applications Southeast Section HP", High Performance Concrete for Superstant	al Slabs	Rate \$142.50 \$147.00 \$146.50 \$150.00 \$145.00
WAYNE CONCRETE 262 Route 44 Shinglehouse, Penns Index No. D A = NYSDOT Class "A A-SE S D = NYSDOT Class "E E-SE S F = NYSDOT Class "E F-SE S H = NYSDOT Class "F H-SE S H-SE S H-SYSDOT Class "F H-SE S H-SYSDOT Class "F H-SE S H-SYSDOT Class "F H-SE S H-SE S H-SYSDOT Class "F H-SE S STructural Approach HP-SE S	Sylvania 16748 Description A", General Purpose Structural Southeast Section D", Thin Structured Application Southeast Section E", Structural Slabs and Structural Approach Slab Southeast Section E", High Early Strength for Pavement or Structural Southeast Section H", Pumping Applications Southeast Section H", Pumping Applications Southeast Section "HP", High Performance Concrete for Superstinal Slabs Southeast Section	al Slabs	Rate \$142.50 \$147.00 \$146.50 \$150.00 \$145.00 \$183.00
WAYNE CONCRETE 262 Route 44 Shinglehouse, Penns Index No. D A = NYSDOT Class "A A-SE S D = NYSDOT Class "E E-SE S F = NYSDOT Class "E F-SE S H = NYSDOT Class "F H-SE S H-SYSDOT Class "F H-SE S HP = NYSDOT Class "F H-SE S HP = NYSDOT Class "F H-SE S HP = NYSDOT Class "F STructural Approach HP-SE S HP-SW S	Sylvania 16748 Description A", General Purpose Structural Southeast Section D", Thin Structured Application Southeast Section E", Structural Slabs and Structural Approach Slab Southeast Section E", High Early Strength for Pavement or Structural Southeast Section H", Pumping Applications Southeast Section "HP", High Performance Concrete for Superstinal Slabs Southeast Section Slabs Southeast Section Southeast Section Southeast Section Southeast Section	al Slabs	Rate \$142.50 \$147.00 \$146.50 \$150.00 \$145.00
WAYNE CONCRETE 262 Route 44 Shinglehouse, Penns Index No. D A = NYSDOT Class "A A-SE S D = NYSDOT Class "I D-SE S E = NYSDOT Class "E E-SE S F = NYSDOT Class "F F-SE S H = NYSDOT Class "F H-SE S HP = NYSDOT Class S Structural Approach HP-SE S HP-SW S ALLOWABLE EXTRA	Sylvania 16748 Description A", General Purpose Structural Southeast Section D", Thin Structured Application Southeast Section E", Structural Slabs and Structural Approach Slab Southeast Section E", High Early Strength for Pavement or Structural Southeast Section H", Pumping Applications Southeast Section L"HP", High Performance Concrete for Superstinal Slabs Southeast Section Southeast Section Southwest Section Southwest Section COST - Short load, PER LOAD	al Slabs	Rate \$142.50 \$147.00 \$146.50 \$150.00 \$145.00 \$183.00 \$183.00
WAYNE CONCRETE 262 Route 44 Shinglehouse, Penns Index No. D A = NYSDOT Class "A A-SE S D = NYSDOT Class "E D-SE S E = NYSDOT Class "E E-SE S F = NYSDOT Class "F F-SE S H = NYSDOT Class "F H-SE S HP = NYSDOT Class "F H-SE S HP = NYSDOT Class S Structural Approach HP-SE S HP-SW S ALLOWABLE EXTRA S-1 1	Sylvania 16748 Description A", General Purpose Structural Southeast Section D", Thin Structured Application Southeast Section E", Structural Slabs and Structural Approach Slab Southeast Section E", High Early Strength for Pavement or Structural Southeast Section H", Pumping Applications Southeast Section "HP", High Performance Concrete for Superstinal Slabs Southeast Section Slabs Southeast Section Southeast Section Southeast Section Southeast Section	al Slabs	Rate \$142.50 \$147.00 \$146.50 \$150.00 \$145.00

S-3	More than 2 CY, = 3 CY</th <th>\$130.00</th>	\$130.00	
S-4	More than 3 CY, = 4 CY</td <td>\$125.00</td>	\$125.00	
S-5	More than 4 CY, = 5 CY</td <td>\$110.00</td>	\$110.00	
TC-1	Truck Conveyor (per truck load)	\$145.00	
ALLOWABLE EXT	RA COST – Heated Concrete, PER YARD		
HC-1	When Requested	\$ 9.50	
ALLOWABLE EXT			
XC-1	Unloading in excess of 5 minutes per cubic yard	\$ 1.58	
ALLOWABLE EXTRA COST – Water-Reducing Admixture			
SP-1	When Requested (High Range)(ASTM) Type F	\$ 7.75	

State Bid. These prices will be compared with the prices on State Contract and all items will be purchased from the source most beneficial to the County. Five sets of specifications were sent out. Three bids were received.

♦ FLEXIBLE CONCRETE MATS

KISTNER CONCRETE PRODUCTS, INC.

P.O. Box 218

East Pembroke, New York 14056-0218

Mat Index No.	Thickness/Mat Weight	<u>Rate</u>
FC35	4.5" / 2531	\$1,296.00
FC45	5.5" / 3094	\$1,568.00
FC70	8.5" / 4781	\$1,824.00

Each Mat of flexible concrete is to be 16 ft. by 4 ft. (64 sq. ft.), made up of 3 rows of blocks, with 12 blocks per row (total 36 blocks). These blocks are to be interconnected by Stainless Steel Aircraft Cable type 302, type 1 x 19 Construction

Block Dimensions: shall be or have: General

- A) Base Dimension 15-½" square
- B) Top Dimension 11-½" square
- C) Space between blocks:
 - 1) Base 1/2"
 - 2) Top 4-½"

No State Bid. Three sets of specifications were sent out. One bid was received.

♦ **GEOTEXTILE FABRIC**

E.J. PRESCOTT, INC. 200 Lake Avenue

Blasdell, New York 14219

WOVEN FABRIC: TerraTex GS/TNS W200 or Equal	Cost/Square Yard
Length of Roll – in feet	432 feet
Square Yards per Roll	600/sq yd
Delivered: Cost per Square Yard	\$0.410
Cost Per Sq. Yd. Picked up at your warehouse	\$0.410
Manufacturer & ID Name	Skaps, W200

NON-WOVEN FABRIC: DuPont SF40 or Equal	Cost/Square Yard
Length of Roll – in feet	360 feet
Square Yards per Roll	500/sq yd
Delivered: Cost per Square Yard	\$0.580
Cost Per Sq. Yd. Picked up at your warehouse	\$0.580
Manufacturer & ID Name	Skaps, GT160

No State Bid. Seven sets of specifications were sent out. Three bids were received.

♦	PROCESSED	GRAVEL -	see next	page for	rlistings
----------	------------------	-----------------	----------	----------	-----------

• PROCESSED GRAVEL - see next page for listings

State Bid. These prices will be compared with the prices on State Contract and all items will be purchased from the source most beneficial to the County.

24 sets of specifications were sent out. 18 bids were received.

Resolution Refe	erred to:	
Finance	Human Services	
DPW 🖂	Develop. & Ag	
Labor Relations	Strategic Planning	
Co. Operations/Public Safety		

PROCESSED GRAVEL

PRICE SUMMARY SHEET

1/2019 - 4/30/2020								The second second		WASHE	WASHED per TON F.O.B. Co. Trk	J.B. Co. Trk.
	COUNTRY SIDE SAND & GRAVEL	Y SIDE RAVEL	DAN GERNATT GRAVEL PRODUCTS	RNATT	GERNATT ASPH. PRODUCTS	ASPH.	GERNATT ASPH. PRODUCTS	ASPH.	GERNATT ASPH. PRODUCTS	ASPH.	GERNATT ASPH. PRODUCTS	ASPH.
Material: Vendor:>	CRUSHED / SCREEN	SCREEN	CRUSHED / SCREEN	/ SCREEN	CRUSHED / SCREEN	SCREEN	CRUSHED / SCREEN	SCREEN	CRUSHED / SCREEN	SCREEN	CRUSHED / SCREEN	SCREEN
NO. 1A	16.75	12.80	16.40	NB	16.40	10.10	NB	8.25	14.90	NB	16.40	NB
NO. PA 1B	88	88	8N B	NB	NB BN	8g	NB	NB	14.15	82	NB NB	NB
NO. 1ST	15.45	NB NB	NB NB	NB NB	SE SE	8g	NB B	NB	14.15	SE SE	BB.	NB NB
NO. 1	16.45	NB	15.85	NB	15.35	10.95	NB	9.15	15.10	NB NB	15.85	NB
NO. 1 & 2 MIXED	16.20	88	15.85	NB	15.35	88	8	NB	15.10	eg.	15.85	NB
NO. 2	16.20	NB BB	15.85	NB	15.35	12.35	NB	10.45	14.85	9	15.85	NB
NO. PA 2A	14.15	NB NB	14.50	88	12.60	SB BB	11.10	NB	12.90	NB	14.45	NB NB
NO. 3	NB	as a	3A 16.60	ag .	15.60	BR.	E E	10.15	3A 14.85	NB BA	NB	RN RB
NO. 4	NB	ES.	NB BA	NB BN	NB BA	NB BB	82	RB BB	NB B	NB	RB RB	NB
NO. 5	NB BB	NB	NB	NB	NB	NB	NB RB	NB	NB	NB	NB	NB
OVERSIZED (LGR. THAN NO. 5)	15.45 # (2"-8")	(2"-8")	16.15 (16.15 (2"-8")	13.55 (2"-8")	("-8")	11.40 (2"-8")	("8-"	13.25 (2"-8")	5"-8")	13.60 (2"-8")	2"-8")
RUN OF BANK GRAVEL: (# - At Deposit)	9.6	58.6	9.	9.85	09'6	o	7.75	5	9.80	0	9:90	0
SAND SUITABLE FOR CONCRETE	II.	11.30	H.	11.30	11.30	30	SA SA		11.30	30	11.30	30
SAND SUITABLE FOR ICE & SNOW CONTROL	7.5	7.95	Z	NB	8.20	0	4.70	0	5.45	5	9.20	0
MINUS 1" CRUSHER RUN HARDHEADS	\$16.25	.25	\$16	\$16.45	13.10	10	13.50	20	15.45	15	NB	3
SUB-BASE MATERIALS	\$12	\$12.60	\$13	\$13.00	11.30	30	9.65	5	11.05	35	12.75	75
BITUMINOUS STABILIZED COURSE	Z	NB	2	NB	52.25	25	NB	3	NB	3	NB	3
ADDITIONAL ITEMS: (see below)	X	XXI	X	XX2	XXX	В	XX4	.4	XXS	3		
DELIVERY CHARGES ##						-					-	
0 - 5 MILES (per net ton mile)	3.4	3.05	3.	3.05	3.05)5	3.05	15	3.05	92	3.05	15
6 - 15 MILES		.17	•	.17	71.	7	71.	7	71.	7	71.	7
16 - 50 MILES		.17		.17	71.	7	71.	7	71.	7	Г	.17
PLANT LOCATION:	8458 RC SOUTH I	8458 ROUTE 62 SOUTH DAYTON	TAYLOR	TAYLOR HOLLOW COLLINS, NY	13650 BENZ DRIV SPRINGVILLE	13650 BENZ DRIVE SPRINGVILLE	11860 RT. 16 CHAFFEE	RT. 16 FEE	11216 RT. 98 FREEDOM, NY	RT. 98 DM, NY	191 BROAD GOWAN	191 BROADWAY ROAD GOWANDA, NY

^{# -} AT DEPOSIT * - NYSDOT APPROVED

XXI –MINUS 2" CRUSHER RUN HARDHEADS 15.50/TON XX2—MINUS 2" CRUSHER RUN HARDHEADS 15.75/TON XX3—MINUS 2" CRUSHER RUN HARDHEADS 12.60/TON XX4—MINUS 2" CRUSHER RUN HARDHEADS 12.00/TON

XX5 –MINUS 2" CRUSHER RUN HARDHEADS 14.75 / TON

PROCESSED GRAVEL

WASHED per TON F.O.B. Co. Trk.

| / SCR | NB
NB | NB
BB | NB
BB | RB | NB | RB
 | 9.75 | a N

 | NB
B | NB
NB
 | 9.20 | 5.00 | NB
NB | NB
NB | 11.00 | 7.00*
 | NB | | | 3.00 | .18 | .18
 | Rt. 394
RANDOLPH
Waterboro Gravel |
|------------------|--|--|--|--|--
--|--
--
--
--|---|--|---
---	--	---	---	---
---	---			
CRUSHED / SCREEN	NB BB	NB BB	NB NB	NB BB
 | 9.75 | NB

 | NB | NB
 | 9. | 5. | _ | _ | 11 | 7.5
 | - | | | 3 | |
 | RAN
Waterb |
| SCREEN | 8.50 | 10.95 | BB
BB | BB. | 8.50 | NB
 | 8.35 | 10.95

 | NB | NB
 | 07 | 00 | *00 | *0 | В | *0
 | В | | - | 00 | 8 | 80
 | Frew Run Rd.
FREWSBURG |
| CRUSHED | 11.35 | 10.95 | æ | 10.95 | 10.95 | 10.95
 | 8.35 | 10.35

 | NB | NB
 | 9.2 | 5.(| 11.0 | 5.5 | Z | 7.0
 | Z | | | 3. | | Γ.
 | Frew F
FREW |
| SCREEN | 8.00 | 15.00 | 15.75 | 14.75 | 14.75 | 14.75
 | NB
NB | 15.75

 | NB
NB | NB
 | 00 | 15 | 00 | 09 | 8 | 09
 | В | | | 00 | 8 | 8
 | Moore Rd.
RANDOLPH |
| CRUSHED / | 15.75 | 15.00 | 15.75 | 14.75 | 14.75 | 14.75
 | NB
RB | 15.75

 | NB | NB
NB
 | 11. | 7.7 | 11. | 5.5 | Z | 8.6
 | Z | | | 3.(| |
 | Mooi |
| SCREEN | as a | 8N
B | NB
BB | NB
BB | NB
BB | SE SE
 | NB
RB | NB
NB

 | NB | NB
 | 50 | 00 | 90 | 30 | 8 | •
 | В | | | 00 | 9 | 9
 | New Albion Rd.
LITTLE VALLEY |
| CRUSHED | 13.20 | 13.20 | 13.20 | 13.20 | 13.20 | 13.50
 | 11.50 | 12.80

 | 11.50 | NB
 | 12. | 5.0 | 7.5 | 6.3 | Z | 8.5
 | z | | | 3.0 | T. |
 | New AI |
| SCREEN | 5.10 | NB
NB | NB
BB | 6.10 | 8.10 | 8.10
 | NB | NB

 | SR. | EN IN
 | | 9 | 25 | 0, | 8 | 25
 | 8 | | | 30 | 0 | 5
 | 8643 Olean Buffalo Rd
FRANKLINVILLE |
| CRUSHED | 15.00 | 14.25 | 15.35 | 14.85 | 14.00 | 12.55
 | 10.25 | NB
NB

 | NB | NB
NB
 | Z | 8.0 | 10. | 7.2 | Z | 10.
 | z | | | 2.3 | .2 | .1
 | 8643 Olean
FRANKL |
| / SCREEN | Mix
1&1A | 8N | NB
RB | NB
RB | NB | 7.45
 | ag
B | 3A Spec
7.00

 | NB
RB | NB
 | ("6") | 75 | 00 | 00 | 25 | 00
2" Gravel
 | В | | | | available
00/HR | n Rate
 | 10152 Pigeon Hill Rd.
DELEVAN |
| CRUSHED | 10.50* | SB
BB | RB
RB | 10.50* | 10.75* | 9.75*
 | SE SE | RB

 | NB
NB | NB
 | 8.00 (2 | 5.7 | 9.6 | 9.6 | 9.3 | 7.(
Uncrushed
 | Z | | | | @ \$90 | Tander
 | 10152 Pige
DELJ |
| / SCREEN | 10.90 | RB | SB. | 10.90 | NB
RB | NB
NB
 | RB
BB | 8g

 | SE SE | NB
 | ("8-"7 | 0 | 30 | 15 | 88 | 52
 | 8 | - | IVERY | 35 | 7 | 7
 | 6589 MCDONALD RD
GREAT VALLEY |
| CRUSHED | 15.15 | 14.60 | NB | 15.10 | 15.10 | 15.10
 | 12.75 | 8

 | 2 | NB
NB
 | 12.25 (| 8.2 | = | 5.9 | 14. | 11
 | Z | × | SEE DEI | 3.0 | |
 | 6589 MCDGGREAT |
| vendor;> | IA | PA 1B | 1ST | 1 | 1 & 2 MIXED | 2
 | PA 2A |

 | 4 | .5
 | RSIZED (LGR. THAN NO. 5) | OF BANK GRAVEL | O SUITABLE FOR CONCRETE | SUITABLE FOR ICE & SNOW CONTROL | IS 1" CRUSHER RUN HARDHEADS | BASE MATERIALS
 | MINOUS STABILIZED COURSE | ITIONAL ITEMS: (see below) | IVERY CHARGES ## | 5 MILES (per net ton mile) | 15 MILES | - 50 MILES
 | PLANT LOCATION: |
| | CRUSHED / SCREEN CRUSHED / SCREEN CRUSHED / SCREEN CRUSHED / SCREEN CRUSHED / SCREEN | CRUSHED / SCREEN CRUSHE | CRUSHED / SCREEN CRUSHE | The company of the co | The contract of the contract o | The contract of the contract o | CRUSHED / SCREEN CRUSHE | R. A. Michael I.S.16 I.O.50* I.M. I.S.06 S. A. Michael I.S.10 I.S.10 I.O.50* II.S.10 II.S.10 <td>R. A. Michael I.S.16 I.O.50* I.M. I.S.10 S. CRUSHED / SCREEN CRUSHED</td> <td>A CAUSHED SCREEN CRUSHED SCREEN SCREEN </td> <td>CANIMINATE NAME NAME NAME NAME NAME NAME NAME NAM</td> <td>TOTALLY SORREN CRUSHED / SORREN CRUSHED</td> <td>CAMINATION OS INSTITUTED AS CARRENT CARUSHED / SCREEN CRUSHED / SCREEN <</td> <td>CADATISTICAL CRUSHED / SCREIN CRU</td> <td>CADITION OF THE NAME IN THE INSTITUTE OF THE INSTIT</td> <td>CADATION SCREEN CRUSHED / SCREEN CRUSHER RUN HARDHEADIS CRUSHER RUN HARDHEADIS CRUSHED / SCREEN CRUSHER RUN HARDHEADIS CRUSHER RUN HA</td> <td>LIB LIST CRUSHED / SCREEN CRUSHED</td> <td>CANAMED STAREN CRUSHED / STAREN C</td> <td>THEOREM (15.1) FOREIN (CHNIED) SCREIN (CHNIED)</td> <td> 15.15 10.50 10.50 1.81</td> <td>CLANIER PARTIER PARTIER</td> <td>CRAMINED STREAM CRASINED / ST</td> <td>CADERING CAUSARD SCREEN CAUSARD SCREEN</td> | R. A. Michael I.S.16 I.O.50* I.M. I.S.10 S. CRUSHED / SCREEN CRUSHED | A CAUSHED SCREEN CRUSHED SCREEN SCREEN | CANIMINATE NAME NAME NAME NAME NAME NAME NAME NAM | TOTALLY SORREN CRUSHED / SORREN CRUSHED | CAMINATION OS INSTITUTED AS CARRENT CARUSHED / SCREEN CRUSHED / SCREEN < | CADATISTICAL CRUSHED / SCREIN CRU | CADITION OF THE NAME IN THE INSTITUTE OF THE INSTIT | CADATION SCREEN CRUSHED / SCREEN CRUSHER RUN HARDHEADIS CRUSHER RUN HARDHEADIS CRUSHED / SCREEN CRUSHER RUN HARDHEADIS CRUSHER RUN HA | LIB LIST CRUSHED / SCREEN CRUSHED | CANAMED STAREN CRUSHED / STAREN C | THEOREM (15.1) FOREIN (CHNIED) SCREIN (CHNIED) | 15.15 10.50 10.50 1.81 | CLANIER PARTIER | CRAMINED STREAM CRASINED / ST | CADERING CAUSARD SCREEN CAUSARD SCREEN |

- AT DEPOSIT * - NYSDOT APPROVED

XYI – MINUS 2" CRUSHER RUN HARDHEADS 14.10 / TON

PROCESSED GRAVEL

WASHED per TON F.O.B. Co. Trk.

	E.F. LIPPERT & CO., INC.	PERT	PORTVILLE SAND & GRAVEL	ILLE RAVEL PLICTION	UNGERMANN EXCAVATING	AANN	GIARDINI BROS. CONST. CO.	TBROS.	PERKINS, LLC.	S, LLC.	D & H MA	D & H MATERIALS INC.
Material: Vendor:>	CRUSHED	/ SCREEN	CRUSHED /	SCREEN	CRUSHED / SCREEN	SCREEN	CRUSHED / SCREEN	/ SCREEN	CRUSHED / SCREEN	/ SCREEN	CRUSHED / SCREEN	/ SCREEN
NO. 1A	9.50	9.50	NB BB	NB	12.25	6.30	NB	NB	15.00	10.50	11.00	5.75
NO. PA 1B	19.50	19.50	13.50	13.50	11.90	09.9	NB	NB	14.00	10.50	NB NB	SB BB
NO. 1 ST	EN EN	92	88	SE SE	11.50	92	NB	NB	14.00	10.50	NB NB	NB BB
NO. 1	12.00	12.00	88	恩	11.50	6.85	14.25	NB	14.00	10.50	8.75	90.9
NO. 1 & 2 MIXED	13.50	13.50	13.50	13.50	11.50	7.80	RB.	NB NB	14.00	10.50	9.00	7.25
NO.2	12.00	12.00	11.50	11.50	11.50	8.75	14.25	NB NB	14.00	10.50	9.00	7.75
NO. PA 2A	8.50	8.50	8.50	8.50	82	NB	14.25	NB	14.00	10.50	NB BB	NB
NO. 3	12.00	12.00	11.50	11.50	11.50	10.75	14.25	NB	13.00	10.50	NB	NB BB
NO. 4	NB BB	NB NB	NB BB	9	NB BA	eg.	14.25	NB NB	NB	11.50	NB	BB
NO. 5	NB	NB	NB	NB	NB	NB	NB	NB	NB	10.00	NB	NB NB
OVERSIZED (LGR. THAN NO. 5)	NB NB	B	6.50	0	9.50	0	12.50	50	9.	9.50	7.	7.75
RUN OF BANK GRAVEL	99.9	55	09.9	0	9.60	0	6.75	75	8.0	8.00*	4	4.75
SAND SUITABLE FOR CONCRETE	8.50	20	NB		9.25	5	S.	В	П	11.00	6	9.50
SAND SUITABLE FOR ICE & SNOW CONTROL.	8.50	90	6.50	0:	9:60	0	6.50	20	9	00.9	4	4.25
MINUS 1" CRUSHER RUN HARDHEADS	Z	NB	NB	8	10.00	00	z	NB	13.	13.50*		NB NB
SUB-BASE MATERIALS	8	8.50	8.50	0	5.60 Screened Bankrun	i0 Bankrun	7.25	52	8.6	8.00*	2	ag Ba
BITUMINOUS STABILIZED COURSE	Z	NB	NB	3	NB	3	Z	NB	2	NB		NB
ADDITIONAL ITEMS: (see below)					1#ZXX	1#2						
DELIVERY CHARGES ##				1		1						
0 - 5 MILES (per net ton mile)	5.	5.00	5.00	00	2.00	00	5.0	5.00	4	4.00	2	2.40
6 - 15 MILES	3	.50	.50	0	1.50	09	2.	2.50	2	2.50		.15
16 - 50 MILES	•	.50	.50	0	4.00	00	2.	2.50	Э	3.25		.14
PLANT LOCATION:	4451 S. NIN ALLE	4451 S. NINE MILE RD. ALLEGANY	BARBERTOWN RD. PORTVILLE	OWN RD.	BROWN ROAD, MACHIAS	ROAD, HIAS	GARGO	GARGOYLE RD. ALLEGANY, NY	4343 S. W. GREAT V.	4343 S. WHALEN RD GREAT VALLEY, NY	10811 DELEV	10811 Route 16 DELEVAN, NY

- AT DEPOSIT * - NYSDOT APPROVED

XYZ#1 - 1-1/4" Minus Crushed Bankrun - \$7.75 / TON

FRUCESSED UKAVEL CUNTINUED:

GRAVEL PITS BIDDING ONLY A FEW ITEMS:

42
E. 2
RT
- I
PI
RT
K
RICKERT PIT - RTE. 242

RICKERT PIT - RTE. 242 RUN OF BANK SITE PASE MATER	\$7.50 /CU. YD
SUB-BASE IMATER.	
PEASE PIT - RTE. 353	
RUN OF BANK	\$7.50 /CU. YD.
SUB-BASE MATER.	\$10.00 /CU. YD.

\$3.00 .16 .16 0 - 5 MILES PER NET TON MILE 6 - 15 MILES PER NET TON MILE 16 - 50 MILES PER NET TON MILE

McEWAN TRUCKING & GRAVEL PRODUCTS, I 12370 Sharp St. Springville, NY	VEL PRODUCTS, INC.
OVERSIZED STONE 3" – 6"	\$10.00 /TON
RUN OF BANK GRAVEL	\$6.75 /TON
SUB-BASE MATERIALS	\$7.40 /TON
SCREENED TOPSOIL	\$25.00 /TON

D & H MATERIALS, INC.

"MARTIN ROAD"

\$1.75 / TON \$8.75 / TON \$8.75 / TON \$8.75 / TON \$15.00 / TON \$15.00 / TON \$15.00 / TON \$15.00 / TON \$15.00 / TON		\$7.75 / TON \$4.75 / TON \$8.75 / TON \$8.75 / TON \$8.75 / TON \$15.00 / TON \$5.50 / TON
OVERSIZED STONE RUN OF BANK MINUS 1" CRUSHER RUN HARDHEADS MINUS 2" CRUSHER RUN HARDHEADS CRUSHED #3, #4, #5 WASHED SCREENED TOPSOIL SUB-BASE MATERIAL MINUS 2" CRUSHED CONCRETE	"HIRAM ROAD"	OVERSIZED STONE RUN OF BANK MINUS 1" CRUSHER RUN HARDHEADS MINUS 2"CRUSHER RUN HARDHEADS CRUSHED 19; 44, 45 WASHED SCREENED TOPSOIL SUB-BASE MATERIAL

RICK PERKINS CONTRACTING

\$2.40 .15

0-5 MILES PER NET TON MILE 6-15 MILES PER NET TON MILE 16-50 MILES PER NET TON MILE

(PII LOCATION - LAIDLAW KOAD, FRANKLINVILLE/FAKMEKSVILLE	LINVILLE/FARMERSVILLE	
OVERSIZED STONE (larger than No. 5) RUN OF BANK SUB-BASE MATERIALS	\$7.50 / TON (\$11.25 / CU YD) \$5.00 / TON (\$7.50 / CU YD) \$5.50 / TON (\$7.50 / CU YD)	() () () () () () () () () () () () () (
0 - 5 MILES PER NET TON MILE 6 - 15 MILES PER NET TON MILE 16 - 50 MILES PER NET TON MILE	25 15 14	

BIG DOG GRAVEL PRODUCTS (PIT LOCATION – 5157 NORTH ROUTE 62 - CONEWANGO, NY

\$8.00 / TON	\$4.10 / TON	\$5.10 / TON	\$5.10 / TON	\$5.10 / TON	\$10.00 / TON	\$10.00 / TON	\$10.00 / TON	\$8.75 / TON	\$4.50 / TON	\$18.00 / TON	\$40.00 / TON	\$1.50 / TON	\$11.00 / CU. YD.	
OVERSIZED STONE	RUN OF BANK GRAVEL	SUB-BASE MATERIALS	3/4" MINUS SCREENED	2" SCREENED	#1 UNWASHED STONE	#2 UNWASHED STONE	#3 UNWASHED STONE	#4 UNWASHED STONE	SAND	GABION STONE (6-12")	ROCKS (12" AND UP)	FILT.	UNSCREENED TOPSOIL	STONE AND TOPSOIL VERY LIMITED OUANTITY

RICHARD L. PECK CONSTRUCTION INC. (PIT LOCATION - BIRCH RUN ROAD - ALLEGANY, NY)

OVERSIZED STONE RUN OF BANK GRAVEL SUB-BASE MATERIALS	\$15.00 / CU. YD \$9.00 / CU. YD \$11.00 / CU. YD
ER NET	\$3.05
6 - 15 MILES PER NET TON MILE	\$5.00
PER NE	\$9.50

WAYNE GRAVEL PRODUCTS, INC. (PIT LOCATION - CERES TWP., MCKEAN CO., PA)

RUN OF BANK SUB-BASE MATERIAL	\$5.25 / TON \$6.35 / TON
PAZA UNWASHED CRUSHED GRAVEL. PAZA MODFEED (2"Cutshed Oversize Gravel) PAZA UNWASHED SCREENED GRAVEL (2RC) NO. 3 UNWASHED SCREENED GRAVEL. NO. 3 UNWASHED CRUSHED GRAVEL. 3"-5" UNWASHED CRUSHED GRAVEL. 3"-5" UNWASHED CRUSHED GRAVEL.	\$1.25 / TON \$11.25 / TON \$6.35 / TON \$10.75 / TON \$9.50 / TON \$10.00 / TON \$8.60 / TON
6" + UNWASHED SCREENED GRAVEL	\$11.25 / TON

\$3.00 .19 .19 0-5 MILES PER NET TON MILE 6-15 MILES PER NET TON MILE 16-50 MILES PER NET TON MILE

MACHIAS SAND & GRAVEL, INC. (PIT LOCATION - RTE 242, MACHIAS, NY)

OVERSIZED STONE: (larger than 5")	\$7.50 /CU.YD. \$6.00 /	\$6.00 / TON	
RUN OF BANK	\$6.00 /CU.YD. \$4.00 /	\$4.00 / TON	
SUB-BASE MATERIAL	\$6.75 /CU.YD. \$4.50 /	\$4.50 / TON	
PERKINS LLC. (PIT LOCATION - 4343 8, WHALEN RD. GREAT VALLEY, NY)	EAT VALLEY, NY)		

BID ACCEPTANCE FOR BRIDGE STRUCTURAL STEEL (Department of Public Works)

Pursuant to Section 103 of the General Municipal Law and Sections 408 and 408-a of the County Law.

- I. WHEREAS, the Clerk of the Legislature was authorized to advertise for sealed bids for the provision of bridge structural steel, according to specifications provided by the Public Works Committee, now, therefore, be it
- I. RESOLVED, that the Commissioner of Public Works is authorized to contract for bridge structural steel with the following bidders recommended by the Public Works Committee for the term March 1, 2019 through February 28, 2020, and be it further
- II. RESOLVED, that any county, city, village, town, school, or fire district in Cattaraugus County may participate in the bid prices by dealing directly with the bidder, and be it further
- III. RESOLVED, that the County of Cattaraugus reserves the right to make purchases of the aforementioned items at any time during the term for which the bids are taken.

♦ BRIDGE STRUCTURAL STEEL

Chemung Supply Corp. P.O. Box 527 Elmira, New York 14902

		Prices are	<u>Per Pound</u>
Index No.	<u>Description</u>	<u>A36</u>	A572 Grade 50
SS-A1	Structural Angles, Channels up to and including 8"		
	0-4000 lbs	\$.99	\$.99
	4001 lbs and greater	\$.91	\$.91
SS-A2	Structural Angles, Channels over 8" up to and including 15"		
	0-4000 lbs	\$1.01	\$ 1.01
	4001 lbs and greater	\$.98	\$.98
SS-B1	Ship and Car Channel (MC section), 6" to 8"		
	0-4000 lbs	\$.97	\$.97
	4001 lbs and greater	\$.94	\$.94
SS-B2	Ship and Car Channel (MC section), over 8" to 18"		
	0-4000 lbs	\$.97	\$.97
	4001 lbs and greater	\$.94	\$.94
SS-C1	I-Beams Std. – up to & including 8"		
SS-C1a	up to 60' long	\$.72	\$.72
SS-C2	<u>I-Beams Std. – 10" to 36"</u>		
SS-C2a	up to 60' long	\$1.08	\$1.14
SS-C2b	60' and greater	\$1.12	\$1.16
SS-D1	Wide Flange- up to & including 12"		

SS-D1b	60' and greater	\$1.11	\$1.11
SS-D2	Wide Flange – 14" to 36"		
SS-D2a	up to 60' long	\$1.31	\$1.31
SS-D2b	60' and greater	\$1.61	\$1.61
SS-D2c	up to 60' long (precambered)	\$1.71	\$1.71
SS-D2d	60' and greater (precambered)	\$1.78	\$1.78
SS-E	H-Piles – all sizes up to and including 14"	\$1.23	\$1.23
CC E	Flat Charl Blates Clavida y 201 Jane y 5/4Cll	ć co	ć 7 0
SS-F	Flat Steel Plates, 6' wide x 20' long x 5/16"	\$.68	\$.79
SS-G	Flat Steel Plates, 4' wide x 8 long.	\$.68	\$.76
	All thicknesses from ¼" to 1"	,	, -
SS-H1	Steel Sheet Piling – up to 60' length	A572 Grade 50	A690 Grade 50
SS-H1a	AZ Shapes & Accessories	\$1.21	\$1.21
SS-H1b	PZ Shapes & Accessories	\$1.21	\$1.21
66.4		16150 60	
SS-I	Concrete Re-Enforcing Bar-Grade 60, sizes No. 3 thru No. 8,	A615 Grade 60	
	20' lengths	\$.47	

State Line Supply Corp. 1333 East Main Street Bradford, Pennsylvania 16701

		Prices are	<u>Per Pound</u>
Index No.	Description	<u>A36</u>	A572 Grade 50
SS-D1	Wide Flange- up to & including 12"		
SS-D1a	up to 60' long	\$.95	\$.95

No State Bid.

Three sets of specifications were sent out.

Two bids were received.

Resolution Referred to:

Finance	\boxtimes	Human Services			
DPW	\boxtimes	Develop. & Ag			
Labor Relations		Strategic Planning			
Co. Operations/Public Safety					

BID ACCEPTANCE FOR CORRUGATED BEAM GUIDE RAILING, BOX BEAM AND CABLE GUIDE RAILING, BRIDGE AND CULVERT POST, BRIDGE RAILING AND TRANSITION SECTIONS (Department of Public Works)

Pursuant to Section 103 of the General Municipal Law and Sections 408 and 408-a of the County Law.

- I. WHEREAS, the Clerk of the Legislature was authorized to advertise for sealed bids for the provision of various materials, according to specifications provided by the Public Works Committee, now, therefore, be it
- I. RESOLVED, that the Commissioner of Public Works is authorized to contract for corrugated beam guide railing, box beam and cable guide railing, bridge and culvert post, bridge railing and transition sections with various vendors, as recommended by the Public Works Committee for the term March 1, 2019 through February 28, 2020, and be it further
- II. RESOLVED, that any county, city, village, town, school, or fire district in Cattaraugus County may participate in the bid prices by dealing directly with the bidder, and be it further
- III. RESOLVED, that the County of Cattaraugus reserves the right to make purchases of the aforementioned items at any time during the term for which the bids are taken and to require suitable bond to guarantee delivery.

CHEMUNG SUPPLY CORP. P.O. Box 527 Elmira, New York 14902

CORRUGATED BEAM GUIDE RAILING & ACCESSORY HARDWARE

Index No.	<u>Description:</u>	Quantity	<u>Amount</u>
GR-01	Galvanized W-Beam rail; 13 feet 6 1/2 inches	each	\$95.98
	in length by 12 1/4 inches in height by 3 ¼ inches in width; 8		
	standard splice bolt slots on each end; std. post bolt slots at 3		
	feet 1 1/2 inch O.C.; .105 inches thick		
GR-02	Galvanized W-Beam rail; as above except standard post bolt	each	\$95.98
	slots 6 feet 3 inch O.C.		
GR-03	Galvanized W-Beam Rail; Shop bent radius (R); as above with		
	standard post bolt slots 6 feet 3 inch O.C.; state maximum		
	(a) 10 feet to 19 feet radius	each	\$118.00
	(b) 20 feet to 39 feet radius	each	\$115.00
	(c) 40 feet to 200 feet radius	each	\$110.00
GR-04	Galvanized W-Beam rail; as above with standard post bolt slots	each	\$134.52
	6 feet 3 inch O.C.; with 10 (1 inch dia.) at 3 inch O.C. on one end		
	for mounting to standard concrete anchor		
GR-05	Galvanized W-Beam rail; as above shop bent, twisted and bored	each	\$147.50
	for mounting to concrete anchor within one section for typical		
	driveway installations		
GR-06	Galvanized Rounded End Section (Single Sided)	each	\$35.40
GR-06A	Galvanized Rounded End Section (Double Sided)	each	\$47.20

GR-07	Galvanized Flared End Section	each	\$28.91
GR-08	Galvanized Terminal Connector Parapet	each	\$38.94
GR-09	5/8 inch x 1 inch Galvanized splice bolts with 5/8 inch by 7/8 inch oval shoulder including oversize nut (1½ inch across flats) as	per 100	\$84.96
	per NYSDOT dwg. M606-6		
GR-10	5/8 inch diameter x 1½ inch Galvanized hex head bolts with nuts	per 100	\$115.64
	and flat washers for mounting block-outs to heavy posts as per		
CD 10W/	NYSDOT dwg. 606-8R1 5/8 inch diameter x 10 inch Galvanized hex head bolt with nut	oach	\$24.10
GR-10W	and flat washer for mounting the railing and wooden offset beam to heavy post as per NYSDOT dwg. M606-8R3	each	\$24.19
GR-11	Rectangular flat plate washers as per NYSDOT dwg. 606-8R1	per 100	\$206.50
GR-12	Back up plate as per NYSDOT dwg. M606-50	each	\$7.25
GR-13	5/8 inch diameter x 2 inch Galvanized Button head bolts with	per 100	\$186.40
	nuts & flat washers for mounting "W-beam" to heavy post block outs		
GR-14	Turn down post mounting brackets. Set consists of one each of	per set	\$125.08
ON 14	type "A", "B", and "C" brackets as per NYSDOT dwg. M606-9R2	per set	Ş125.00
GR-15	W6 x 9 heavy post, 6 foot 0 inches long with soil plate and 6,	each	\$76.70
	3/4" holes as per NYSDOT dwg. M606-8R3		******
GR-15A	W6 x 9 heavy post, 7 foot 4 inches long, with soil plate and 6,	each	\$91.15
	3/4" holes as per NYSDOT dwg. M606-8R3		
GR-16	W6 x 9 standard heavy post, 6 foot 0 inches long, without soil	each	\$49.20
	plate as per NYSDOT dwg. M606-8R3		
GR-17	W6 x 8.5 or W6 x 9 by 14 inch offset beam (block-out) as per	each	\$14.45
	NYSDOT dwg. 606-8R1	_	
GR-17W	Wooden 6" x 8" x 14 ½" Offset Block	each	\$12.39
GR-17P	Plastic 6 inch x 8 inch x 14 ½ inch offset block	each	\$5.31
GR-18	5/16 inch diameter by 1½ inch hex head Galvanized Bolts with	per 100	\$83.78
	nuts, Detail "M" square washer, and Flat washers for mounting guide rail to weak Posts as per NYSDOT dwg. M606-6		
GR-18A	5/16 inch diameter by 2 3/8 inch Hex Bolt with Two "M"	per 100	\$177.00
GN-10A	washers, two nuts & one flat washer as Per NYSDOT dwg. M606-	per 100	\$177.00
GR-19	51 S3 x 5.7 Universal Weak post, 5 foot 3 inches long, with soil plate	each	\$49.26
GR-19	as per NYSDOT dwg. M606-6	eacii	349.20
GR-19A	S3 x 5.7 Universal Weak post, 7 foot 0 inches long with soil plate	each	\$63.36
3 11 1371	as per NYSDOT dwg. M606-6	cacii	φου.σο
GR-19B	S3 x 5.7 Universal Weak post, 5 foot 5 inches long, with soil	each	\$50.15
	plate as per NYSDOT dwg. M606-50		
GR-20	Concrete anchor with galvanized nuts and washers per NYSDOT	each	\$450.00
CD 24	dwg. M606-6		Ć44 20
GR-21	Ground Bearing angle set consisting of two L4 x 3 x ¼ angles 8"	per set	\$41.30
GR-22	long and two ¾" x 4 ½" hex bolts with nut & 2 flat washers 1/2 inch by 1½ inch Hex Bolt with 2 nuts for W-Beam support on	per 100	\$89.68
GN-22	S3 x 5.7 post	per 100	783.08
GR-23	W6 x 15 Barricade Post, 8 foot 0 inches long	each	\$189.00
GR-23B	W6 x 15 Barricade Post, 9 foot 4 inches long as per NYSDOT dwg.	each	\$249.00
	M630-1		7-10100
GR-24	3/4" diameter x 1 foot 6 inches long, Galvanized Anchor Bolts,	each	\$11.99
	with a minimum of 4" threading, with two nuts and one flat		
	washer as per NYSDOT dwg. M630-1		
	& CABLE GUIDE RAIL AND ASSOCIATED HARDWARE		
<u>Index No.</u>	<u>Description:</u>	<u>Unit</u>	<u>Amount</u>
CABLE GUI	DE RAILING: DRAWINGS 606-1R2 & 606-2R2		

CG-80	34" Round Wire Cable, three (3) strands of seven (7) wires each, AASHTO, M-30, TYPE 1, Class A	/foot	\$10.86
CG-81	Concrete Anchors with breakaway angle, hardware and two (2) top mounted independent rebar lift points; as per NYSDOT dwg. 606-1R2	each	\$450.00
CG-81a	Two piece Concrete Anchor with hardware as per NYSDOT dwg. M606-2R1	each	\$495.00
CG-82	Spring and Turnbuckle Cable End Assembly, with compensating device; NYSDOT dwg. M606-2R1 Detail "B"	each	\$241.90
CG-83	Steel Turnbuckle Cable End Assembly; NYSDOT dwg. M606-2R1 Detail "A"	each	\$129.80
CG-83a	Cable End Assembly to Anchor, as per NYSDOT dwg. M606-2R1	each	\$58.41
CG-84	S3 x 5.7 Universal Weak Post with soil plate, 5'5" length	each	\$50.15
CG-85	End Post Cap with bolt; as per NYSDOT dwg. M606-IR2	each	\$36.58
CG-85a	Anchor Post Assembly - Complete as per NYSDOT dwg. M606-2R1	each	\$265.50
CG-86	Driveway End Post Cap with bolt; as per NYSDOT dwg. 606-2R2	each	\$33.04
CG-87	Ground Bearing Angles assembly; as per NYSDOT dwg. 606-1R2	each	\$41.30
CG-88	Hook Bolt with shoulder & nut or 2 nuts; NYSDOT dwg. M606-1R2	each	\$.76
CG-89	Reflective Delineator with mounting hardware, dwg. M606.1R1;	each	\$8.02
CG-90	Cable Splice with wedges; NYSDOT dwg. M606.1R2	each	\$75.52
CG-91	Spare Wedges for all splices and cable fittings, dwg. M606.1R1;	each	\$2.65
CG-92	Cable clamp for ¾" cable	each	\$5.54
CG-93	3/1" Brass Bent Road	each	\$3.48
CG-94	4"x 5"x 28" GS Keeper Plates	each	\$5.54
CG-95	3/16" Brass Keeper Pin for Anchor Angle	each	\$3.77
CG-96	Bent PL. Cable Anchor Angle 606-01(GR)	each	\$167.56
CG-97	Cable Block Slip Base S3x7 5# Stub	each	\$126.26
CG-98	S3x5.7" Top Slip Anchor Post (6" Cable Spacing)	each	\$126.26
CG-99	1/2" x 2" Bolt, Nut, 3 Flat Washer A307	each	\$1.53
ROX REAM	GUIDE RAILING: DRAWING 606-3R4, M606-3, M606-4		
BB-100	Box Beam Guide Rail, 6 inch by 6 inch by 3/16 inch straight,	each	18' - \$352.00
BB-100	lengths of 18', 24', 30' or 36 feet;	eacii	24' - \$456.66 30' - \$598.26
BB-101	Box Beam Guide Rail, 6 inch by 6 inch by 3/16 inch shop curve, 205' radius, lengths 18 ft. or 24 feet;	each	36' - \$685.58 18' - \$370.52 24' - \$467.28
BB-102	Box Beam Guide Rail, 6 inch by 6 inch by 3/16 inch shop curve, radius 20 ft. To 200 ft., lengths of 12', 18', 24', 30 and 36 feet;	/foot	\$29.61
BB-103	Box Beam Guide Rail, 6 inch by 6 inch by 3/16 inch shop curve, radius under 20 feet; lengths of 12', 18', 24' and 30 feet;	/foot	\$73.75
BB-104	Box Beam Type I end section, approximately 7 1/2 feet long;	each	\$245.44
BB-105	S3 x 5.7, 3'11" in length, Anchor Post for Type I end, with special end shelf angle, two $1/2$ " x 1 $1/2$ " hex bolts w/nut & flat washer and one $3/4$ " x 8" hex bolt w/nut & flat washer;	each	\$77.88
BB-105a	5" x 3 1/2" x 3/8" x 4 1/2" long 2" x 5/8" slot driveway shelf angle	each	\$8.61
BB-105b	3/4" x 8" Hex Bolt w/nut & 2 flat washers	each	\$4.72

BB-106	Box Beam Type II end section, approximately 9 feet long;	each	\$283.20
BB-107	Two S3 x 5.7, 2'9" long, Anchor posts for Type II end, with 3/8" x 9 1/2" hex bolt w/nut & 2 flat washers;	each	\$75.63
BB-107a	3/8" x 9 1/5" Hex Bolt w/nut & 2 flat washers	each	\$4.66
BB-108	Straight splice plate pair with eight 3/4" x 1 1/2" A325 hex bolts and F844 Type A flat washers;	/pair	\$79.24
BB-108a	3/4" x 1 1/2" Hex Bolt (splice plate bolts)	/pair	\$1.23
BB-109	Angled Splice Plate pair with eight 3/4" x 1 1/2" A325 hex bolts and F844 Type A flat washers; (specify 2, 4, or 6 degree angle);	/pair	\$82.95
BB-110	Standard shelf angle:	each	\$7.02
BB-111	Hex Bolt 3/8" x 7 1/2" w/nut & 2 flat washers	each	\$1.23
BB-112	Hex Bolt 1/2" x 1 1/2" w/nut & flat washer;	each	\$.88
BB-113	S3 x 5.7 Universal Weak Post 5' 5" length;	each	\$50.15
BB-294	Complete BEAT roadside terminal system	each	\$4,602.00
RRIDGE & C	ULVERT; POSTS, RAILINGS & TRANSITIONS		, ,
Index No.	DESCRIPTION:	<u>Unit</u>	<u>Amount</u>
All dimensi	ons are in millimeters (mm) unless otherwise noted.		
Reference:	BD-RS1/R3 THROUGH RS8/R3 –		
RS-120	Galvanized 127 x 76 x 6.4 Top Railing of Four Rail System, with both ends turned down to Third Rail (BD-RS4/R3)	/foot	\$31.86
RS-121	Galvanized 127 x 76 x 6.4 Bottom Railing of Four Rail System, with 1.5 m., 15 deg. flared section both ends	/foot	\$38.94
RS-122	Galvanized 152 x 152 x 4.8 Center Railing of Four Rail System	/30 ft	\$1,115.10
RS-123	Galvanized 152 x 152 x 4.8 Top Transition Rail with square end, 6.90 m. long	each	\$46.61
RS-124	Galvanized 152 x 152 x 4.8 Bottom Transition Rail with beveled end for turn back splice, 7.09 m. long.	each	\$489.70
RS-125	Galvan. 152 x 152 x 4.8 Turn Back Rail with end cap, 2.7 m. long.	each	\$230.10
RS-126	Galvanized Turn Back Splice Tube, with 5.33 deg. drop angle.	each	\$182.90
RS-127	203 x 152 x 6.4 Galvanized Block Out Tube, 150 mm. long.	each	\$21.24
RS-128	Galvanized Bridge Post for Four Rail curbless System, 1.06 m. in height.	each	\$230.10
RS-128A	Galvanized Bridge Post for Three Rail curbless system, 830 mm in height	each	\$218.30
RS-128B	Galvanized Bridge Post for Two Rail curb type system, 680 mm in height	each	\$218.30
RS-129	Galvanized 350 x 10 x 250 Anchor Plate	each	\$30.68
RS-130	Galvanized 127 x 127 x 7.9 Expansion Splice Tube, 900 mm long.	each	\$147.50
RS-131	Galvanized 127 x 127 x 7.9 Fixes Splice Tube, 685 mm long	each	\$112.10
RS-132	Galvanized 108 x 54 x 900 Expansion Splice Bar	each	\$194.70
RS-133	Galvanized 108 x 54 x 685 Fixed Splice Bar	each	\$141.60
RS-134	Galvanized L127 x 127x 15.9 Railing Angle, 154 mm. long.	each	\$29.50
Following d	imensions are in INCHES (in) unless otherwise noted. BD-RL3E THRU RL5E		
RS-150	Galvanized 6 x 6 x 3/16 Bridge Railing	/foot	\$41.30
RS-151	Galvan. W6 x 25 Bridge Post for Curbless application, 34" height.	each	\$182.90
101	Canada To A 25 Bridge (OSC 10) Cardiess application, 34 Height.	Cacii	7102.50

RS-152	Galvanized 9" x $1/2$ " x 12 " Anchor Plate with four tach weld nuts for 1" galvanized NC thread.	each	\$44.84
RS-153	Galvanized 8" x 6" x 1/4" Block Out Tube, 6" length.	each	\$21.24
RS-154	Galvanized $5 \times 5 \times 5/16$ " $\times 2$ ' $10-1/2$ " tube with one $4 \times 3/8$ " $\times 1$ ' 8" fill plate and one $4 \times 3/8$ " $\times 2$ ' $9-1/2$ " fill plate "Splice Tube A".	each	\$135.70
RS-155	Galvanized $5 \times 5 \times 5/16$ " $\times 2$ ' $10-1/2$ " tube with TWO $4 \times 3/8$ " $\times 2$ ' $9-1/2$ " fill plates "Splice Tube B".	each	\$135.70
RS-156	Galvanized 6 x 6 x 3/16" Top Transition Rail; 23' 0" long	each	\$489.70
RS-157	Galvanized $6 \times 6 \times 3/16$ " Bottom Transition Rail with beveled end for turn back splice tube, 23' 7 1/2" long.	each	\$489.70
RS-158	W6 x 9 Universal Heavy Transition Post, Galvanized, 7' 4" long	each	\$70.80
RS-159	S3 x 5.7 Universal Weak Transition Post, Galvanized, 7' 0" long with soil plate.	each	\$53.10
RS-160	M20 3/4" x 8" Carriage Bolt w/nut, flat washer and lock washer	each	\$7.08
RS-161	3/4" x 8" Hex Bolt w/nut, 2 flat washers and lock washer	each	\$3.83
RS-162	3/4" Flat Washer	each	\$.53
RS-163	M24 Anchor Stud with 4 Washers and 4 Hex nuts, 12" long	each	\$21.53
RS-164	M24 Anchor Stud with 4 Washers and 4 Hex nuts, 14" long	each	\$24.19
RS-165	M24 Anchor Stud with 4 Washers and 4 Hex nuts, 18" long	each	\$25.96
RS-166	M24 Anchor Stud price per inch over and above 18" long	each	\$2.95
RS-167	3/4" Lock Washer	each	\$.71
RS-168	3/4" Hex Nut	each	\$1.29

State Bid. These prices will be compared with the prices on State Contract and all items will be purchased from the source most beneficial to the County.

Five sets of specifications of each item were sent out.

One bid for each item was received.

Resolution Referred to:			
Finance	\boxtimes	Human Services	
DPW	\boxtimes	Develop. & Ag	
Labor Relations		Strategic Planning	
Co. Operations/Pu	ıblic Safety	,	

Administrator.

LOCAL LAW NUMBER 2 - 2019 COUNTY OF CATTARAUGUS, NEW YORK

Pursuant to Section 10 of the Municipal Home Rule Law.

A LOCAL LAW AMENDING LOCAL LAW NUMBER 5-1985 (INTRO NUMBER 10-1985), AS AMENDED, REGARDING THE POSITION OF COUNTY ADMINISTRATOR

BE IT ENACTED by the County Legislature of the County of Cattaraugus as follows:

SECTION 1. Legislative Intent. It is the intent of this Local Law to amend the term of the County

SECTION 2. Amendment of Local Law Number 5-1985 (Intro Number 10-1985), as amended.

Section 3. Appointment: Qualifications. Local Law Number 5-1985 (Intro Number 10-1985), as amended, is hereby further amended as follows: In Section 3, after the second sentence ending in "...four years.", add the following: "The next succeeding term of the County Administrator following the term in which he currently serves as of the date of the adoption of this Local Law No. 2-2019 shall commence September 14, 2019 and terminate September 13, 2023, with subsequent appointments being for a term of four years."

<u>SECTION 3.</u> Severability. If any provision of this Local Law shall be adjudged by any court of competent jurisdiction to be invalid, then such adjudication, shall not effect, impair or invalidate the remainder thereof, but shall be confined in its operation to the particular provision directly involved in the controversy in which such judgment shall have been rendered.

<u>SECTION 4.</u> <u>Effective Date.</u> This Local Law shall take effect immediately.

Resc	olution F	Referred to:	
Finance	\boxtimes	Human Services	
DPW		Develop. & Ag	
Labor Relations	\boxtimes	Strategic Planning	
Co. Operations/Public Safety			

AUTHORIZING PUBLIC HEARING ON LOCAL LAW NUMBER 2 - 2019

Pursuant to Section 10 of the Municipal Home Rule Law.

l.	WHEREAS, there has been duly presented and introduced at a meeting of this
Legislature held	on February 13, 2019, a proposed Local Law entitled, "A Local Law Amending Local Law
Number 5-1985	(Intro Number 10-1985), as amended, Regarding the Position of County Administrator",
and	
II.	WHEREAS, no local law shall be adopted until a public hearing thereon has been had by
the Cattaraugus	s County Legislature upon at least five days' notice, now, therefore, be it
l.	RESOLVED, that a public hearing shall be held on the proposed local law by this County
Legislature on t	he 27 th day of February, 2019, at 4:01 p.m. at the Legislature's Chambers, County Center,
303 Court Stree	et, Little Valley, New York, and that at least five days' notice of such hearing shall be given
by the Clerk by	the due posting thereof upon the bulletin board of each County Court House within the
County and by p	publishing such notice at least once in the official newspapers of the County.
Resol Finance DPW Labor Relations Co. Operations/Pul	ution Referred to: Human Services Develop. & Ag Strategic Planning blic Safety